May be emailed to: Melanic, Yanklowski@msdh.state.ms.us

MISSISSIPPI STATE DEPARTMENT OF HEAL 2013 JUN 12 AM 8: 57 BUREAU OF PUBLIC WATER SUPPLY CCR CERTIFICATION FORM CALENDAR YEAR 2012

CLARKSDALE PUBLIC Public Water Supp	UTILITES Ny Name
List PWS ID #s for all Community Wate	r Systems included in this CCR
The Federal Safe Drinking Water Act (SDWA) requires each Con- Consumer Confidence Report (CCR) to its customers each year, system, this CCR must be mailed or delivered to the customers, publi- customers upon request. Make sure you follow the proper procedur of electronic delivery, we request you mail or fax a hard copy check all boxes that apply.	Depending on the population served by the public water ished in a newspaper of local circulation, or provided to the es when distributing the CCR. Since this is the first year of the CCR and Certification Form to MSDH. Please
Customers were informed of availability of CCR by: (Att	ach copy of publication, water bill or other)
 □ Advertisement in local paper (attach co □ On water bills (attach copy of bill) □ Email message (MUST Email the message) □ Other 	age to the address below)
Date(s) customers were informed:/	
CCR was distributed by U.S. Postal Service or other methods used <u>Direct mail to all custome</u>	direct delivery. Must specify other direct delivery ers by billing cycle——Cycle 1 5/24/13
Date Mailed/Distributed: / /Cycle 2 5/3	31/13 Cycle 3 6/5/13 Cycle 4 6/10/13
Date Mailed/Distributed: / /Cycle 2 5/3 Cyc CCR was distributed by Email (MUST Email MSDH a c As a URL (Provide URL As an attachment As text within the body of the email me	essage
CCR was published in local newspaper. (Attach copy of p	published CCR or proof of publication)
Name of Newspaper:	The second secon
Date Published: / /	
CCR was posted in public places. (Attach list of location Lobby of CPU Administration Bldg. + CCR was posted on a publicly accessible internet site at t	s) Date Posted: 5 /15 /13 Customer address (BARECTO PKL REQUIRED):
CERTIFICATION Thereby certify that the 2012 Consumer Confidence Report public water system in the form and manner identified about the SDWA. I further certify that the information included in the water quality monitoring data provided to the public Department of Health, Bureau of Public Water Supply.	this CCR is true and correct and is consistent with water system officials by the Mississippi State
Kenneth Manual Operator of Records Name/Title (President, Mayor, Owner, etc.)	<u>0-7-13</u> Date
Deliver or send via U.S. Postal Service: Bureau of Public Water Supply	May be faxed to: (601)576-7800
P.O. Box 1700 Jackson, MS 39215	May be emailed to:

CORRECTED COPY

Consumer Confidence Report

Is my water safe?

We are pleased to present this year's Annual Water Quality Report (Consumer Confidence Report) as required by the Safe Drinking Water Act (SDWA). This report is designed to provide details about where your water comes from, what it contains, and how it compares to standards set by regulatory agencies. This report is a snapshot of last year's water quality. We are committed to providing you with information because informed customers are our best allies.

Do I need to take special precautions?

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Water Drinking Hotline (800-426-4791).

Where does my water come from?

Our water comes from 9 deep wells located in the Sparta and Upper Wilcox Aquifers.

Source water assessment and its availability

Our source water assessment is available at this time. A copy of this assessment is maintained at the main office of Clarksdale Public Utilities at 416 Third Street for public review during normal business hours. Clarksdale Public Utilities wells were ranked moderate in terms of susceptibility to contamination.

Why are there contaminants in my drinking water?

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's (EPA) Safe Drinking Water Hotline (800-426-4791).

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity: microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife; inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban stormwater

runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming; pesticides and herbicides, which may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses; organic Chemical Contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff, and septic systems; and radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities. In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. Food and Drug Administration (FDA) regulations establish limits for contaminants in bottled water which must provide the same protection for public health.

How can I get involved?

If you have any questions about this report or concerning your water utility, please contact Pamela Jossell, Controller at (662)627-8499. We want our valued customers to be informed about their water utility. If you want to learn more, please attend any of our regularly scheduled meetings. They are held on the second Tuesday of the month and two weeks after that date at 4:15P.M. in the main administrative building of Clarksdale Public Utilities, 416 Third Street.

Additional Information for Lead

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Clarksdale Public Utilities is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.cpa.gov/safewater/lead.

Water Quality Data Table

In order to ensure that tap water is safe to drink, EPA prescribes regulations which limit the amount of contaminants in water provided by public water systems. The table below lists all of the drinking water contaminants that we detected during the calendar year of this report. Although many more contaminants were tested, only those substances listed below were found in your water. All sources of drinking water contain some naturally occurring contaminants. At low levels, these substances are generally not harmful in our drinking water. Removing all contaminants would be extremely expensive, and in most cases, would not provide increased protection of public health. A few naturally occurring minerals may actually improve the taste of drinking water and have nutritional value at low levels. Unless otherwise noted, the data presented in this table is from testing done in the calendar year of the report. The EPA or the State requires us to monitor for certain contaminants less than once per year because the concentrations of these contaminants do not vary significantly from year to year, or the system is not considered vulnerable to this type of contamination. As such, some of our data, though representative, may be more than one year old. In this table you will find terms and abbreviations that might not be familiar to you. To help you better understand these terms, we have provided the definitions below the table.

	MCLG	MCL,						
	or	TT, or	Your	Ras	nge	Sample		
Contaminants	MRDLG	MRDL	Water	Low	High	Date	<u>Violation</u>	Typical Source
Disinfectants & Disir	fectant B	y-Produc	ts					. 1:1
There is convincing e	vidence the	t addition	of a disi	nfectar	t is nec	ossary fo	r control of 1	microbial contaminants)
Chlorine (as Cl2) (ppm)	4	4	1,6	0.4	4	2012	No	Water additive used to control microbes
Haloacetic Acids (HAA5) (ppb)	NA	60	8	NA		2012	No	By-product of drinking water chlorination
TFHMs [Total Trihalomethanes] (ppb)	NA	80	38	NA		2012	No	By-product of drinking water disinfection
Inorganic Contamin	ants							
Antimony (ppb)	6	6	0.5	0.5	0,5	2011	No	Discharge from petrolcum refineries; fire retardants; ceramics; electronics; solder; test addition.
Arsenic (ppb)	0	10	2.7	0.5	2.7	2011	No	Erosion of natural deposits; Runoff from orchards; Runoff from glass and electronics production wastes
Barium (ppm)	2	2	0.1122	0,003	0.112	2011	No	Discharge of drilling wastes; Discharge from metal refineries; Brosion of natural deposits
Beryllium (ppb)	4	4	0.5	0.5	0.5	2011	No	Discharge from metal refineries and coal-burning factories; Discharge from electrical, acrospace, and defense industries
Cadmium (ppb)	5	5	0.5	0.5	0.5	2011	No	Corrosion of galvanized pipes Erosion of natural deposits; Discharge from metal refinerics; runoff from waste batteries and paints
Chromium (ppb)	100	100	4,4	0.5	4.4	2011	No	Discharge from steel and pulp mills; Erosion of natural deposits
Cyanide [as Free Cn] (ppb)	200	200	56.95	15	56.95	2011	No	Discharge from plastic and fertilizer factories; Discharge from steel/metal factorics
Mercury [Inorganic] (ppb)	2	2	0,5	0.5	0,5	2011	No	Erosion of natural deposits; Discharge from refineries and factories; Runoff from landfills; Runoff from cropland
Nitrate [measured as Nitrogen] (ppm)	10	10	0.08	0.08	0.08	2012	No	Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits

Nitrite [measured as Nitrogen] (ppm)	1	1	0.02	0.02	0.02	2012	No	Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits
Selenium (ppb)	50	50	9.4	2.5	9,4	2011	No	Discharge from petrolcum and metal refineries; Erosion of natural deposits; Discharge from mines
Thallium (ppb)	0,5	2	0.5	0.5	0.5	2011	No	Discharge from electronics, glass, and Leaching from ore- processing sites; drug factories
Radioactive Contami	nants							
Uranium (ug/L)	0	30	0.156	0.001	0.156	2008	No	Erosion of natural deposits
Volatile Organic Con	taminant	§ .						
1,1,1-Trichloroethane (ppb)	200	200	0.5	0.5	0.5	2012	No	Discharge from metal degreasing sites and other factories
1,1-Dichloroethylene (ppb)	7	7	0.5	0.5	0.5	2012	No	Discharge from industrial chemical factories
1,1,2-Trichloroethane (ppb)	3	5	0.5	0.5	0.5	2012	No	Discharge from industrial chemical factories
1,2,4- Trichlorobenzene (ppb)	70	70	0.5	0.5	0.5	2012	No	Discharge from textile- finishing factories
1,2-Dichloroethane (ppb)	0	5	0.5	0.5	0.5	2012	No	Discharge from industrial chemical factories
1,2-Dichloropropane (ppb)	0	5	0.5	0.5	0.5	2012	No	Discharge from industrial chemical factories
Benzene (ppb)	0	5	0.5	0.5	0.5	2012	No	Discharge from factories; Leaching from gas storage tanks and landfills
Carbon Tetrachloride (ppb)	0	5	0.5	0.5	0.5	2012	No	Discharge from chemical plants and other industrial activities
Chlorobenzenc (monochlorobenzenc) (ppb)	100	100	0.5	0.5	0.5	2012	No	Discharge from chemical and agricultural chemical factories
ois-1,2- Dichtoroethylene (ppb)	70	70	0.5	0.5	0.5	2012	No	Discharge from industrial chemical factories
Ethylbenzene (ppb)	700	700	0.5	0.5	0.5	2012	No	Discharge from petroleum refinories
Dichloromethane (ppb)	0	5	0.5	0.5	0.5	2012	No	Discharge from pharmaceutical and chemical factories
o-Dichlorobenzene (ppb)	600	600	0.5	0.5	0.5	2012	No	Discharge from industrial chemical factories
p-Dichlorobenzenc (ppb)	7 5	75	0.5	0.5	0,5	2012	No	Discharge from industrial chemical factories

(ppm) Lead - action level consumer taps (ppb	at o	15	8.8		2009	,	2		No	Corrosion of household plumbing systems; Erosion of natural deposits
Inorganic Contemi Copper - action level at consumer taps	nants	1.3	1.009	, ;	2009	0			No	Corrosion of household plumbing systems; Erosion of natural deposits
Contaminants	MCL	i Al	Your Water	۱ ـ	ntpie Pate	Exceedit			L	Typical Source
Xylenes (ppm)			37	1 80	mple	# Sam	ples	Exc	eeds	
	10	10	0.000	5 0.00		0 2012	1	Λo	fac	charge from petroleum tories; Discharge from emical factories
(ppb) Vinyl Chloride (ppb)	0	2	0.5	0.5	0.5	2012	N	io	Dis fact	ching from PVC piping; charge from plastics orles
(ppb) Trichloroethylene	0	5	0.5	0.5	0.5	2012	N	υ	degr fact	reasing sites and other ories
rans-1,2- Dichlorocthylene	100	100	0.5	0.5	0.5	2012	N	0	chen	harge from industrial nical factories
ppb) Foluenc (ppm)	1	1	0,0005	0.00 05	0.000 5	2012	No.)	facto	ries
etrachloroothylene	0	5	0,5	0.5	0.5	2012	No		dry c	leaners narge from petroleum
tyrene (ppb)	100	100	0.5	0.5	0.5	2012	No		plastic from	arge from rubber and careful factories; Leaching landfills

a improve of substance in one liter of v
a Number of micrograms of substance in one mer or
ug/L: Number of micrograms of substance in one liter of v ppm: parts per million, or milligrams per liter (mg/L)
ppm: parts per billion, or micrograms per liter (µg/L)
ppb: parts pet office NA; not applicable
and a design not required, but recommended.
ND: Not detected NR: Monitoring not required, but reco

ortant Drinking Water Definitions	Definition
Term	Cook The level of a contamit
MCLG	in drinking water below which there is a margin of safety. health, MCLGs allow for a margin of a contami
MCL	MCL: Maximum Contaminant Level: The frighest level of the MCL of that is allowed in drinking water. MCLs are set as close to the MCL of leasible using the best available treatment technology. TT: Treatment Technique: A required process intended to reduce the contaminant in drinking water.
TT	TT: Treatment Technique: A required process in of a contaminant in drinking water.

ΛL	AL: Action Level: The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.
Variances and Exemptions	Variances and Exemptions: State or EPA permission not to meet an MCL or a treatment technique under certain conditions.
MRDLG	MRDLG: Maximum residual disinfection level goal. The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.
MRDL	MRDL: Maximum residual disinfectant level. The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.
MNR	MNR: Monitored Not Regulated
MPL	MPL: State Assigned Maximum Permissible Level

April 1, 2013 MESSAGE FROM MSDH CONCERNING RADIOLOGICAL SAMPLING

In accordance with the Radionuclides Rule, all community public water supplies were required to sample quarterly for radionuclides beginning January 2007 - December 2007. Your public water supply completed sampling by the scheduled deadline; however, during an audit of the Mississippi State Department of Health Radiological Health Laboratory, the Environmental Protection Agency (EPA) suspended analyses and reporting of radiological compliance samples and results until further notice. Although this was not the result of inaction by the public water supply, MSDH was required to issue a violation. This is to notify you that your water system has completed the monitoring requirements and is now in compliance with the Radionuclides Rule. If you have any questions, please contact Karen Walters, Director of Compliance & Enforcement, Bureau of Public Water Supply, at (601)576-7518.

For more information please contact:

Contact Name: Pamela Jossell

Address: 416 Third Street Clarksdale, MS 38614 Phone: 662 627-8499 Fax: 662 627-8463

E-Mail: cpuwwtp@cableone.net

CONSUMER CONFIDENCE REPORT Notice to Customer of Revisions

This notice is to inform you that a revised copy of the June 2013 Consumer Confidence Report is maintained at the main offices of Clarksdale Public Utilities on the first floor at 416 Third Street for public review during normal business hours.

The revised Consumer Confidence Reports contains the following information:

 A message from the Mississippi State Department of Health concerning radiological sampling

If you have any questions about this report, please contact us at the above offices in the Administration Building, first floor, Clarksdale, Mississippi.

Consumer Confidence Report

Is my water safe?

RECEIVED-WATER SUPPLY We are pleased to present this year's Annul Water Quality Report (Consumer Confidence Report) as required by the Safe Drinking Water Act (SDWA). This report is designed to provide details about where your water comes from, what it contains, and how it compares to standards set by regulating a map shot of last year's water quality. We are committed to providing you with information because informed customers are our best allies.

Do I need to take special precautions?

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers, EPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Water Drinking Hotline (800-426-4791).

Where does my water come from?

Our water comes from 9 deep wells located in the Sparta and Upper Wilcox Aquifers.

Source water assessment and its availability

Our source water assessment is available at this time. A copy of this assessment is maintained at the main office of Clarksdale Public Utilities at 416 Third Street for public review during normal business hours. Clarksdale Public Utilities wells were ranked moderate in terms of susceptibility to contamination.

Why are there contaminants in my drinking water?

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's (EPA) Safe Drinking Water Hotline (800-426-4791). The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife; inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban stormwater runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming; pesticides and herbicides, which may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses; organic Chemical Contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff, and septic systems; and radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities. In order to ensure that tap water is safe to drink. EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. Food and Drug Administration (FDA)

How can I get involved?

If you have any questions about this report or concerning your water utility, please contact Pamela Jossell, Controller at (662)627-8499. We want our valued customers to be informed about their water utility. If you want to learn more, please attend any of our regularly scheduled meetings. They are held on the second Tuesday of the month and two weeks after that date at 4:15P.M. in the main administrative building of Clarksdale Public Utilities, 416 Third Street.

Additional Information for Lead

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Clarksdale Public Utilities is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.goy/safewater/lead.

Water Quality Data Table

In order to ensure that tap water is safe to drink, EPA prescribes regulations which limit the amount of contaminants in water provided by public water systems. The table below lists all of the drinking water contaminants that we detected during the calendar year of this report. Although many more contaminants were tested, only those substances listed below were found in your water. All sources of drinking water contain some naturally occurring contaminants. At low levels, these substances are generally not harmful in our drinking water. Removing all contaminants would be extremely expensive, and in most cases, would not provide increased protection of public health. A few naturally occurring minerals may actually improve the taste of drinking water and have nutritional value at low levels. Unless otherwise noted, the data presented in this table is from testing done in the calendar year of the report. The EPA or the State requires us to monitor for certain contaminants less than once per year because the concentrations of these contaminants do not vary significantly from year to year, or the system is not considered vulnerable to this type of contamination. As such, some of our data, though representative, may be more than one year old. In this table you will find terms and abbreviations that might not be familiar to you. To help you better understand these terms, we have provided the

	MCLG	MCL, TT, or	Your	р	ange	Sample		The second second
<u>Contaminants</u>	or MRDLG	MRDL	Water	Low	High	Date	Violation	Typical Source
Disinfectants & Disinfectant By-Products							14, 1	
(There is convincing evidence that addition of					Y			
Chlorine (as Cl2) (ppm)	4	4	1.6	0.4	4	2012	No	Water additive used to control microbes
Haloacetic Acids (HAA5) (ppb)	NA	60	8	NA		2012	No	By-product of drinking water chlorination
TTHMs [Total Trihalomethanes] (ppb)	NA	80	38	NA		2012	No	By-product of drinking water disinfection
Inorganic Contaminants								
Antimony (ppb)	6	6	0.5	0.5	0.5	2011	No	Discharge from petroleum refineries; fire retardants; ceramics; electronics; solder; test addition.
Arsenic (ppb)	0	10	2.7	0.5	2,7	2011	No	Erosion of natural deposits; Runoff from orchards; Runoff from glass and electronics production wastes
Barium (ppm)	2	2	0.1122	0.003	0.1122	2011	No	Discharge of drilling wastes; Discharge from metal refineries; Erosion of natural deposits
Beryllium (ppb)	4	4	0.5	0.5	0.5	2011	No	Discharge from metal refineries and coal-burning factories; Discharge from electrical, aerospace, and defense industries
Cadmium (ppb)	5	5	0.5	0.5	0.5	2011	No	Corrosion of galvanized pipes; Erosion of natural deposits; Discharge from metal refineries; runoff from waste batteries and paints
Chromium (ppb)	100	100	4.4	0.5	4.4	2011	No	Discharge from steel and pulp mills; Erosion of natural deposits
Cyanide [as Free Cn] (ppb)	200	200	56.95	15	56.95	2011	No	Discharge from plastic and fertilizer factories; Discharge from steel/metal factories
Mercury [Inorganic] (ppb)	2	2	0.5	0.5	0.5	2011	No	Erosion of natural deposits; Discharge from refineries and factories; Runoff from landfills; Runoff from cropland
Nitrate [measured as Nitrogen] (ppm)	10	10	0.08	0.08	0.08	2012	No	Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits

Section (ppp)	Nitrite [measured as Nitrogen] (ppm)	1	1	0.02	tanks, sewage; Erosion of natural deposits								
Internation (psp)	Selenium (ppb)	50	50	9,4	2.5	9.4	2011						
Dimminum (ogs)	Thallium (ppb)	0.5	2	0.5	0.5	0.5	2011	Discharge from electronics, glass, and Leaching					
Valentic Organic Conteminates			20	1 0.156	Τα οδι Τ	Λ 156	7,008	No	Erosian of natural denosits				
		l v	30	0.130	[0.001]	0.150	2000	1110	Elosion of natural deposits				
1.1.Didultocethylene (ppb)		200	200	0.5	0.5	0.5	2012	No	Discharge from metal degreasing sites and other				
1,2-Trechtscheene (uph)		7	7	0.5		 	2012	No					
1.2.4-Triethrorbenzene (pspb)								·					
2-Dichloropedhame (gpb)				 		-	 						
Decidence (pph)		0	5	0.5	0.5	0.5	2012	No					
Selection (php)		0	5	0.5	0.5	0.5	2012	No	Discharge from industrial chemical factories				
Carbon Tetrachforide (ppb)	Benzene (ppb)	0	5	0.5	0.5	0.5	2012	No					
Chicrobenzene (monochlorobenzene) (ppb)	Carbon Tetrachloride (ppb)	0	5	0.5	0.5	0.5	2012	No	Discharge from chemical plants and other				
Ethylbenzene (ppb)	Chlorobenzene (monochlorobenzene) (ppb)	100	100	0.5	0.5	0.5	2012	No	Discharge from chemical and agricultural				
Dichloromethane (ppb)	cis-1,2-Dichloroethylene (ppb)	70	70	0.5	0.5	0.5	2012	No	Discharge from industrial chemical factories				
Discharge from industrial chemical factories	Ethylbenzene (ppb)	700	700	0.5	0.5	0.5	2012	No					
p-Dichlorobenzene (pph) 75 75 75 0.5 0.5 0.5 0.5 2012 No Discharge from industrial chemical factories Styrene (ppb) 100 100 100 0.5 0.5 0.5 2012 No Discharge from industrial chemical factories (ppm) 1 1 1 0.0005 0.0005 0.0005 2012 No Discharge from method greater for the property of th	Dichloromethane (ppb)	0	5	0.5	0.5	0.5	2012	No	Discharge from pharmaceutical and chemical				
Styrene (ppb) 100 100 0.5 0.5 0.5 0.5 2012 No Discharge from rubber and plastic factories; Leaching from landfills 1 1 0.0005 0.005 2012 No Discharge from rubber and plastic factories; Leaching from landstraid characteristic from the company of t	o-Dichtorobenzene (ppb)	600	600	0.5	0.5	0.5	2012	No	Discharge from industrial chemical factories				
Skyrene (ppp) 100 100 100 100 100 100 100	p-Dichlorobenzene (ppb)	75	75	0.5	0.5	0.5	2012	No					
Toluene (ppm)	Styrene (ppb)	100	100	0.5	0.5	0.5	2012	No					
trans-1,2-Dichloroethylene (ppb)	Tetrachloroethylene (ppb)	0	5	0.5	0.5	0.5	2012	No	Discharge from factories and dry cleaners				
Trichloroethylene (ppb) Vinyl Chloride (ppb) O 2 0.5 0.5 0.5 0.5 2012 No Discharge from metal degreasing sites and othe factories Xylenes (ppm) 10 10 0.0005 0.0005 0.0005 2012 No Discharge from PVC piping, Discharge from petroleum factories; D	Toluene (ppm)	1	1	0.0005 0.0005 0.0005 2012 No I					Discharge from petroleum factories				
Vinyl Chloride (ppb) 0 2 0.5 0.5 0.5 0.5 2012 No lastics factories Xylenes (ppm) 10 10 0.0005 0.0005 0.0005 2012 No Discharge from PVC piping; Discharge from plastics factories Xylenes (ppm) 10 10 0.0005 0.0005 0.0005 2012 No Discharge from petroleum factories; Discharge from petroleum factories; Discharge from petroleum factories Contaminants MCLG AL Water Date Exceeding AL AL Typical Source Copper - action level at consumer taps (ppm) 1.3 1.3 1.009 2009 0 No Corrosion of household plumbing systems; Exceeding AL AL Typical Source Copper - action level at consumer taps (ppm) 1.3 1.3 1.009 2009 2 No Corrosion of household plumbing systems; Exosion of natural deposits Lead - action level at consumer taps (ppb) 0 15 8.8 2009 2 No Corrosion of household plumbing systems; Exosion of natural deposits Unit Descriptions Term Definition ust/L: Number of microstrans of substance in one liter of water pomin parts per million, or micrograms per liter (mgt/L) NA NA: Not applicable NB NB: Not detected NB NB: Monitoring not required, but recommended. Important Drinkine Water Definitions MCLG MCLG: Maximum Contaminant Level Goal: The level of a contaminant in drinking water below which there is no known or expected risk to health MCLGs allow for a margin of safety. MCL Maximum Contaminant Level: The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology Variances and Exemptions MRDLG MRDLG Maximum residual disinfectant level. The highest level of a contaminant in drinking water below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectant is necessary for control of microbic which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectant is necessary for control of microbic which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectant tevel. T	trans-1,2-Dichloroethylene (ppb)	100	100	0.5	0.5	0.5	2012	No					
Xylenes (ppm)	Trichloroethylene (ppb)	0	5	0.5	0.5	0.5	2012	No					
Confaminants	Vinyl Chloride (ppb)	0	2	0.5									
Contaminants	Xylenes (ppm)	10	10	0.0005	0.0005	0.00	05 2012	No	Discharge from petroleum factories; Discharge from chemical factories				
Copper - action level at consumer taps (ppm) Lead - action level at consumer taps (ppb) Definition Term Ug/L: Number of micrograms of substance in one liter of water pph pph pph: parts per billion, or milicrograms per liter (µg/L) NA NA: not applicable NR MCL MCLG: Maximum Contaminant Level Goal: The level of a contaminant that is allowed in drinking water. There is no known or expected risk to health. MCLG or a treatment technique AL: Action Level: The concentration of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant allowed in drinking water below which there is no known or expected risk to health. MCLG allow for a margin of safety. AL: Action Level: The concentration of a contaminant which, if exceeded, triggers treatment of the requirements which a water system must follow. Variances and Exemptions ARDL MRDL MRDL MRDL MRDL MRDL MRDL MNR MNR MNR MNR MNR MNR MNR MN	Contaminants	MCLG	AL										
Lead - action level at consumer taps (ppb) 0 15 8.8 2009 2 No Erosion of natural deposits	Copper - action level at consumer taps (ppm)	·		1.009	2009		0	N	Corrosion of household plumbing systems; Erosion of natural deposits				
Term ug/L ug/L ; Number of micrograms of substance in one liter of water popm ppm ppm; parts per million, or milligrams per liter (mg/L) ppb ppb ppb ppb ppb ppb; parts per billion, or micrograms per liter (mg/L) ppb ppb ppb; parts per billion, or micrograms per liter (mg/L) NA NA: not applicable NB ND ND: Not detected NR NB NB: Monitoring not required, but recommended. Important Drinkine Water Definitions Term Definition MCLG Maximum Contaminant Level Goal: The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety. MCL Maximum Contaminant Level: The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology. TT Treatment Technique: A required process intended to reduce the level of a contaminant in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology. AL: Action Level: The concentration of a contaminant which, if exceeded, triggers treatment or othe requirements which a water system must follow. Variances and Exemptions: State or EPA permission not to meet an MCL or a treatment technique under certain conditions. MRDLG: Maximum residual disinfection level goal. The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants. MRDL: Maximum residual disinfection level goal. The level of a disinfectant is necessary for control of microbial water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial MNR	Lead - action level at consumer taps (ppb)	0	15	8.8	2009		. 2	N	Corrosion of household plumbing systems; Erosion of natural deposits				
ug/L Number of micrograms of substance in one liter of water			L	d									
DDM: Darts per million. or milligrams per liter (mg/L) ppb ppb ppt: parts per billion, or mirograms per liter (µg/L) NA				-		ug/L :	Number of	f micrograms of	of substance in one liter of water				
NA: not applicable ND: ND: Not detected NR: ND: Not detected NR: Monitoring not required, but recommended. Important Drinking Water Definitions Term Definition MCLG: Maximum Contaminant Level Goal: The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety. MCL: Maximum Contaminant Level: The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology. TT: Treatment Technique: A required process intended to reduce the level of a contaminant in drinking water. AL: Action Level: The concentration of a contaminant which, if exceeded, triggers treatment or othe requirements which a water system must follow. Variances and Exemptions: State or EPA permission not to meet an MCL or a treatment technique under certain conditions. MRDLG: Maximum residual disinfection level goal. The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants. MRDL: Maximum residual disinfectant level. The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbia.	maa												
ND ND: Not detected NR NR: Monitoring not required, but recommended. Important Drinkine Water Definitions Term Definition MCLG: Maximum Contaminant Level Goal: The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety. MCL: Maximum Contaminant Level: The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology. TT: Treatment Technique: A required process intended to reduce the level of a contaminant in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology. AL: Action Level: The concentration of a contaminant which, if exceeded, triggers treatment or othe requirements which a water system must follow. Variances and Exemptions: State or EPA permission not to meet an MCL or a treatment technique under certain conditions. MRDLG: Maximum residual disinfection level goal. The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants. MRDL: Maximum residual disinfectant level. The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbia. MNR: Monitored Not Regulated													
Important Drinking Water Definitions				ND: Not detected									
Term MCLG MCLG: Maximum Contaminant Level Goal: The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety. MCL: Maximum Contaminant Level: The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology. TT: Treatment Technique: A required process intended to reduce the level of a contaminant in drinking. AL: Action Level: The concentration of a contaminant which, if exceeded, triggers treatment or othe requirements which a water system must follow. Variances and Exemptions: State or EPA permission not to meet an MCL or a treatment technique under certain conditions. MRDLG: Maximum residual disinfection level goal. The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants. MRDL: Maximum residual disinfectant level. The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial materials. MRR: Monitored Not Regulated				NR: Monitoring not required, but recommended.									
MCLG: Maximum Contaminant Level Goal: The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety. MCL: Maximum Contaminant Level: The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology. TT: Treatment Technique: A required process intended to reduce the level of a contaminant in drinking. AL: Action Level: The concentration of a contaminant which, if exceeded, triggers treatment or othe requirements which a water system must follow. Variances and Exemptions: State or EPA permission not to meet an MCL or a treatment technique under certain conditions. MRDLG: Maximum residual disinfection level goal. The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants. MRDL: Maximum residual disinfectant level. The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial water. There is convincing evidence that addition of Regulated				T			<u> </u>	Defin	nition				
MCL: Maximum Contaminant Level: The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology. TT: Treatment Technique: A required process intended to reduce the level of a contaminant in drinking. AL: Action Level: The concentration of a contaminant which, if exceeded, triggers treatment or othe requirements which a water system must follow. Variances and Exemptions: State or EPA permission not to meet an MCL or a treatment technique under certain conditions. MRDLG: Maximum residual disinfection level goal. The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants. MRDL: Maximum residual disinfectant level. The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial materials. MNR: Monitored Not Regulated					MCLG: Maximum Contaminant Level Goal: The level of a contaminant in drinking water below								
AL: Action Level: The concentration of a contaminant which, if exceeded, triggers treatment or othe requirements which a water system must follow. Variances and Exemptions: State or EPA permission not to meet an MCL or a treatment technique under certain conditions. MRDLG: Maximum residual disinfection level goal. The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants. MRDL: Maximum residual disinfectant level. The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial MNR. MNR: Monitored Not Regulated	MCL			MCL: Maximum Contaminant Level: The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.									
Variances and Exemptions Variances and Exemptions Variances and Exemptions Variances and Exemptions: State or EPA permission not to meet an MCL or a treatment technique under certain conditions. MRDLG: Maximum residual disinfection level goal. The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants. MRDL: Maximum residual disinfectant level. The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial maximum residual disinfectant is necessary for control of microbial maximum residual disinfectant is necessary for control of microbial maximum residual disinfectant level. The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial maximum residual disinfectant level. The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial maximum residual disinfectant level. The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial maximum residual disinfectant level.	Tf	TT: Treati	nent Tecl	mique	A required	l process inten	ded to reduce the level of a contaminant in drinking						
WRDLG: Maximum residual disinfection level goal. The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants. MRDL: Maximum residual disinfectant level. The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial maximum residual disinfectant level. The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial maximum residual disinfectant level. The highest level of a disinfectant allowed in drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.	AL	AL: Acti	on Level:	The co									
MRDLG: Maximum residual disinfection level goal. The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants. MRDL: Maximum residual disinfectant level. The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial maximum residual disinfectant water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial maximum residual disinfectant level. The highest level of a disinfectant allowed in drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectant to control microbial contaminants.	Variances and Exemption	Varianc	Variances and Exemptions: State or EPA permission not to meet an MCL or a treatment technique										
MRDL water. There is convincing evidence that addition of a disinfectant is necessary for control of microbia MNR Monitored Not Regulated	MRDLG	MRDLG which the	: Maximu ere is no k	m resi mown	or expected	ction level go I risk to health	al. The level of a drinking water disinfectant below . MRDLGs do not reflect the benefits of the use of						
					MRDL: Maximum residual disinfectant level. The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial								
MPI. MPL: State Assigned Maximum Permissible Level				ļ	MNR: Monitored Not Regulated MPL: State Assigned Maximum Permissible Level								
For more information please contact:							w. outo		anna anna a Canada anna anna anna anna a				